L Number	Hits	Search Text	DB	Time stamp
-	1	("5896292").PN.	USPAT	2002/10/23 10:38
-	1	("5814375").PN.	USPAT	2002/10/23 10:38
-	1	("5262954").PN.	USPAT	2002/10/23 10:38
-	1	("5819031").PN.	USPAT	2002/10/23 10:39
-	1	("5162986").PN.	USPAT	2002/10/23 10:39
-	1	(US-5896292-$).did.	USPAT	2002/10/23 10:39
-	1	((US-5896292-$).did.) and (offline or off-line or off adj line)	USPAT	2002/10/23 11:26
-	1	((US-5896292-$).did.) and (return)	USPAT	2002/10/23 10:57
-	1	((US-5896292-$).did.) and (return same information)	USPAT	2002/10/23 10:57
-	1	((US-5896292-$).did.) and on-line	USPAT	2002/10/23 11:54
-	0	((US-5896292-$).did.) and dependent	USPAT	2002/10/23 11:56
-	0	((US-5896292-$).did.) and task with system	USPAT	2002/10/23 11:56
-	0	((US-5896292-$).did.) and task same system	USPAT	2002/10/23 11:56
-	0	((US-5896292-$).did.) and (task same system)	USPAT	2002/10/23 11:56
-	1	((US-5896292-$).did.) and task	USPAT	2002/10/23 17:03
-	0	((US-5896292-$).did.) and administrator	USPAT	2002/10/23 17:03
-	0	((US-5896292-$).did.) and admin$	USPAT	2002/10/23 17:09
-	1	((US-5896292-$).did.) and input	USPAT	2002/10/23 17:20
-	1	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$).did.) and admin$	USPAT	2002/10/23 17:10
-	1	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$).did.) and admin$	USPAT	2002/10/23 17:10
-	1	((US-5896292-$).did.) and edit$4	USPAT	2002/10/23 17:24
-	1	((US-5896292-$).did.) and input/output	USPAT	2002/10/23 17:30
-	1	((US-5896292-$).did.) and stor$5	USPAT	2002/10/23 17:32
-	1	((US-5896292-$).did.) and (stor$5 with data)	USPAT	2002/10/23 17:33
-	1	((US-5896292-$).did.) and ((storing or stores) with data)	USPAT	2002/10/24 09:55
-	0	((US-5896292-$).did.) and setup and parameter	USPAT	2002/10/24 09:55
-	0	((US-5896292-$).did.) and setup	USPAT	2002/10/24 09:55
-	1	((US-5896292-$).did.) and parameter	USPAT	2002/10/24 09:56
-	0	((US-5896292-$).did.) and shutdown	USPAT	2002/10/24 09:57
-	1	((US-5896292-$).did.) and (end or stop)	USPAT	2002/10/24 10:14
-	1	((US-5896292-$).did.) and parameter	USPAT	2002/10/24 13:21
-	0	((US-5896292-$).did.) and sending with parameter	USPAT	2002/10/24 13:22
-	0	((US-5896292-$).did.) and sending with system	USPAT	2002/10/24 13:22
-	1	((US-5896292-$).did.) and sending	USPAT	2002/10/24 14:00
-	0	((US-5896292-$).did.) and microdevice	USPAT	2002/10/24 14:00
-	1	((US-5896292-$).did.) and device	USPAT	2002/10/24 15:19
-	0	((US-5896292-$).did.) and (number with device)	USPAT	2002/10/24 15:19
-	1	((US-5896292-$).did.) and (input$ with device)	USPAT	2002/10/24 15:20
-	0	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$).did.) and microdevice	USPAT	2002/10/24 15:23
-	0	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$).did.) and micro-device	USPAT	2002/10/24 15:23
-	1	((US-5262954-$).did.) and (devices same process$5)	USPAT	2002/10/24 15:36
-	0	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$).did.) and password	USPAT	2002/10/24 16:04
-	0	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$).did.) and protect$5	USPAT	2002/10/24 16:04
-	1	((US-5262954-$).did.) and (number same devices)	USPAT	2002/10/24 16:16
-	1	((US-5262954-$).did.) and (number same devices)	USPAT	2002/10/24 16:10

-	0	((US-5262954-$).did.) and (determines same devices)	USPAT	2002/10/24 16:10
-	1	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$).did.) and (number same devices)	USPAT	2002/10/24 16:11
-	1	((US-5262954-$).did.) and (number)	USPAT	2002/10/24 16:16
-	1	((US-5262954-$).did.) and (number)	USPAT	2002/10/24 16:17
-	0	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$).did.) and statistics	USPAT	2002/10/24 16:18
-	1	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$).did.) and analysis	USPAT	2002/10/24 16:19
-	0	microdevices with number with determining	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:20
-	1335	microdevices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:20
-	246	micro-devices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:20
-	34	microdevices and micro-devices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:20
-	1547	microdevices or micro-devices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:20
-	1018	(microdevices or micro-devices) and number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:20
-	30	(microdevices or micro-devices) with number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:22
-	66947	determining with number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:23
-	6107	determining with number with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:29
-	1051466	determining with3 number with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:26
-	1621	(determining with number with device) and automat$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:31

—	228	((determining with number with device) and automat$5) and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:31
—	477	(determining with number with device) and (automated or automation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:31
—	97	((determining with number with device) and (automated or automation)) and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:32
—	2	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$).did.) and serial	USPAT	2002/10/26 10:33
—	0	programmer/feeder.ab.	USPAT	2002/10/24 17:48
—	0	(programmer/feeder).ab.	USPAT	2002/10/24 17:49
—	2	(programmer and feeder).ab.	USPAT	2002/10/24 17:50
—	1	programmer/feeder	USPAT	2002/10/24 17:50
—	2	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$).did.) and serial	USPAT	2002/10/26 10:35
—	1073	(serial adj number) and manufacturing and automated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:35
—	15	(serial adj number) and manufacturing.ab. and automated.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:36
—	10	((serial adj number) and manufacturing.ab. and automated.ab.) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:45
—	1	(((serial adj number) and manufacturing.ab. and automated.ab.) and @ad<=20000118) and (devices or microdevices) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:56
—	0	(serializing with (devices or microdevices)) same log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:56
—	3	(serializing with (devices or microdevices)) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:57
—	55	assigns with (serial adj number) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:58
—	84931	(assigns with (serial adj number) and log) and automated or automation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:58
—	22	(assigns with (serial adj number) and log) and (automated or automation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:58

-	17	((assigns with (serial adj number) and log) and (automated or automation)) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:58
-	6	(((assigns with (serial adj number) and log) and (automated or automation)) and @ad<=20000118) and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 11:06
-	1	(US-6167401-$).did.	USPAT	2002/10/26 11:06
-	3561656	((US-6167401-$).did.) and serial number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 11:07
-	1	((US-6167401-$).did.) and (serial adj number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:08
-	1	(((US-6167401-$).did.) and (serial adj number)) and password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:09
-	9	(US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$ or US-4544318-$ or US-6167401-$ or US-6169976-$ or US-6188402-$).did.	USPAT	2002/10/26 12:18
-	0	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$ or US-4544318-$ or US-6167401-$ or US-6169976-$ or US-6188402-$).did.) and kit	USPAT	2002/10/26 12:18
-	0	(tasks with kit) same (off-line or offline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:19
-	0	(tasks with kit) and (off-line or offline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:19
-	0	((tasks with kit)) and (offline or off-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:20
-	142	(tasks with kit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:20
-	84924	((tasks with kit)) and automated or automation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:20
-	19	((tasks with kit)) and (automated or automation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:21
-	7	(((tasks with kit)) and (automated or automation)) and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:22

-	7	((plurality or multiple) near3 tasks) same kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:28
-	1	("5644487").PN.	USPAT	2002/10/26 12:26
-	0	(("5644487").PN.) and kit	USPAT	2002/10/26 12:26
-	407	(tasks) same kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:29
-	19	((tasks) same kit) and (offline or off-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:33
-	7848	(defin$5 or creat$5 or generat$5) with kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:37
-	36	((defin$5 or creat$5 or generat$5) with kit) same tasks	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:34
-	582	(defin$5 or creat$5 or generat$5) adj3 kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:38
-	4	((defin$5 or creat$5 or generat$5) adj3 kit) same tasks	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:40
-	7	kit with (offline or off-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:41
-	1	(US-5896292-$).did.	USPAT	2002/10/26 13:04
-	1	((US-5896292-$).did.) and input$	USPAT	2002/10/26 13:09
-	1	(((US-5896292-$).did.) and input$) and number	USPAT	2002/10/26 13:26
-	0	(((US-5896292-$).did.) and input$) and (format with information)	USPAT	2002/10/26 13:26
-	1	(((US-5896292-$).did.) and input$) and (format same information)	USPAT	2002/10/26 13:28
-	1	(((US-5896292-$).did.) and input$) and (off-line)	USPAT	2002/10/26 13:28
-	1	(US-5896292-$).did.	USPAT	2002/10/26 13:28
-	1	((US-5896292-$).did.) and (off-line)	USPAT	2002/10/26 15:34
-	0	((US-5896292-$).did.) and (portable same memory)	USPAT	2002/10/26 15:34
-	1	((US-5896292-$).did.) and memory	USPAT	2002/10/26 15:34
-	11	(US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$ or US-4544318-$ or US-6167401-$ or US-6169976-$ or US-6188402-$ or US-5644487-$).did. or (US-20020013640-$).did.	USPAT; US-PGPUB	2002/10/26 15:37
-	1	((US-5896292-$ or US-5814375-$ or US-5262954-$ or US-5819031-$ or US-5162986-$ or US-4544318-$ or US-6167401-$ or US-6169976-$ or US-6188402-$ or US-5644487-$).did. or (US-20020013640-$).did.) and ((portable or external) same memory)	USPAT	2002/10/26 16:13
-	1	programmer/feeder	USPAT	2002/10/26 16:13

-	142	task with kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:36
-	0	(task with kit) and (offline or off-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:37
-	118	(task with kit) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:42
-	21	((task with kit) and @ad<=20000118) and circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:46
-	46	((task with kit) and @ad<=20000118) and ((creat$4 or design$4 or defin$4) with kit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:51
-	0	(combining with task) same kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:52
-	0	(defin$4 adj kit) with task	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:56
-	35	defin$4 adj kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:52
-	32	((defin$4 or creat$4 or combin$4) with kit) same task	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:02
-	23	(((defin$4 or creat$4 or combin$4) with kit) same task) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:57
-	13694	((defin$4 or creat$4 or combin$4) with task)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:03
-	27	((defin$4 or creat$4 or combin$4) with task) same kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:25
-	3061419	tasks with process with microdevices fwith circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:08
-	0	tasks with process with microdevices with circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:08

-	1	tasks with process with microdevices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:08
-	16	(kit adj parts) near3 advantage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:30
-	1	(US-5224055-$).did.	USPAT	2002/10/28 15:30
-	1	((US-5224055-$).did.) and kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:30